Safety data sheet according to 1907/2006/EC, Article 31



Printing date: 11.11.2020

\*

Version number 11

*Revision:*\_\_\_\_\_11.11.2020

| SECTION   | : Identification of the substance/mixture and of the company/undertaking   |
|---|--|
| 1.1 Product ide   | ntifier  |
|   | overing lacquer blue<br>bdecklack Blau   |
| <b>Article number</b><br>81010567<br>81010568   | :  |
|   | entified uses of the substance or mixture and uses advised against<br>or private consumers.  |
| Application of  | the substance / the mixture Masking material   |
| 1.3 Details of th<br>Manufacturer/.   | he supplier of the safety data sheet<br>Supplier:  |
| Heimerle + Me<br>Dennigstrasse<br>D-75179 Pforzł  | 16   |
| Telefon +49 (0)<br>Telefax +49 (0)<br>www.heimerle-1  | 7231 940-2199  |
| Further inform  | ation obtainable from:   |
| Department BA<br>sds@heimerle-r<br>IATA - 24h Ema<br>(Dangerous goo   | ergency Contact - IATA - 24h Emergency Contact -<br>ods emergency number)  |
| +49 172 739 69<br>1.4 Emergency   | 070<br>telephone number:   |
| Vergiftungs-Inf<br>(Poisoning Info<br>GREAT BRITA)<br>National Poison<br>Members of the<br>In England and<br>ITALY:<br>Istituto Superio<br>KROATIA - RE<br>(+385) 01 2348<br>ESTLAND - ES<br>Tervisemeti Mü<br>LETTLAND - L<br>Latvijas Vides,<br>LITAUEN - LIE | ns Information Service +44 121 507 4123<br>public seeking specific information on poisons should contact:<br>Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111<br>re di Sanità +3906499906140<br><u>PUBLIKA HRVATSKA:</u><br>9 342<br><u>TONIA:</u><br>rgistusteabekeskuse 16662, (+342) 7914 794 |

Heimerle + Meule

Safety data sheet according to 1907/2006/EC, Article 31


Printing date: 11.11.2020

Version number 11

Revision:

11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau



Page 3/11

Heimerle+Meule

Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 11

Revision:

#### 11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau

(Contd. of page 2)

- 2.3 Other hazards • Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous components / Information on ingredients: |  |          |
|--|--|----------|
| CAS: 64742-94-5                                      | Solvent naphtha (petroleum), heavy arom. | ≥25–≤50% |
| EINECS: 265-198-5                                    | 🚯 Asp. Tox. 1, H304                      |          |
| Index number: 649-424-00-3                           |  |          |

· Additional information:

contains less than 0.1% benzene (EINECS No 200-753-7).

For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

### • 4.1 Description of first aid measures

• General information:

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing:
- Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Carbon monoxide (CO), Carbon dioxide (CO2)
- 5.3 Advice for firefighters
- Protective equipment:
- Do not inhale explosion gases or combustion gases.

(Contd. on page 4)

GB —

Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 11



Revision:

11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau

(Contd. of page 3)



Wear self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

# **SECTION 6:** Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
 Ensure adequate ventilation
 Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Only handle and refill product in closed systems.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

he usual precautionary measures are to be adhered to when handling chemicals.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material. Fumes can combine with air to form an explosive mixture.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings.

(Contd. on page 5)

GB

Page 5/11

(Contd. of page 4)

Heimerle + Meule

Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 11

Revision:

11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau

*Observe official regulations on storing packagings*. *Prevent any seepage into the ground.* 

• Information about storage in one common storage facility: Do not store together with materials which also support fire

Store away from foodstuffs.

• Further information about storage conditions: Keep container tightly sealed.

• Storage class: 10

• 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection** 

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### CAS: 56-81-5 glycerol

WEL (Great Britain) Long-term value: 10 mg/m<sup>3</sup> AGW (Germany) Long-term value: 200 E mg/m<sup>3</sup> 2 (I);DFG, Y

#### · Regulatory information

WEL (Great Britain): EH40/2020 AGW (Germany): TRGS 900

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.

According to EC Directive 89/686/EEC

#### · Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387

according to EN 143

- Recommended filter device for short term use: Combination filter A-P2
- Protection of hands:
- Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

*Check the permeability prior to each anewed use of the glove.* 

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31



*Printing date: 11.11.2020* 

Version number 11

Revision:

11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau

> (Contd. of page 5) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

> Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

• *Material of gloves Nitrile rubber, NBR* 

Recommended thickness of the material:  $\geq 0.4$  mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Not suitable are gloves made of the following materials: Leather gloves Strong material gloves

· Eye protection: Goggles recommended during refilling


· Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

| General Information                     |   |  |
|---|---|--|
| Appearance:                             |   |  |
| Form:                                   | Viscous                                       |  |
| Colour:                                 | Blue  |  |
| Odour:                                  | Characteristic                                |  |
| Odour threshold:                        | Not determined.                               |  |
| pH-value:                               | Not determined.                               |  |
| Change in condition                     |   |  |
| Melting point/freezing point:           | Undetermined.                                 |  |
| Initial boiling point and boiling range | : Undetermined.                               |  |
| Flash point:                            | > 60°C (> 140°F) (DIN 51755)                  |  |
| Flammability (solid, gas):              | Not applicable.                               |  |
| Ignition temperature:                   | 400°C (752°F) (DIN 51794)                     |  |
| Decomposition temperature:              | Not determined.                               |  |
| Auto-ignition temperature:              | Product is not selfigniting.                  |  |
| Explosive properties:                   | Product does not present an explosion hazard. |  |
| Explosion limits:                       |   |  |
| Lower:                                  | 0.8 Vol %                                     |  |
| Upper:                                  | 7 Vol %                                       |  |
| Vapour pressure at 20°C (68°F):         | <1 hPa (<0.8 mm Hg)                           |  |
| Density at 20°C (68°F):                 | 1.06 g/cm <sup>3</sup> (8.85 lbs/gal)         |  |
| Relative density                        | Not determined.                               |  |
| Vapour density                          | Not determined.                               |  |
| Evaporation rate                        | Not determined.                               |  |
| Solubility in / Miscibility with        |   |  |
| water:                                  | Not miscible or difficult to mix.             |  |
| Partition coefficient: n-octanol/water: | Not determined.                               |  |

Heimerle + Meule

Safety data sheet according to 1907/2006/EC, Article 31



Version number 11

Revision:

11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau

(Contd. of page 6)

· Viscosity:

Dynamic at 20°C (68°F): Kinematic: • 9.2 Other information 16,000 mPas Not determined. No further relevant information available.

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Toxic fumes may be released if heated above the decomposition point.

Reacts with acids, alkalis and oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

#### CAS: 56-81-5 glycerol

Oral LD50 12,600 mg/kg (Rat)

Dermal LD50 10,000 mg/kg (Kanninchen)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity:

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 8)

GB

Page 8/11

Heimerle + Meule

Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 11

Revision:

11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau

(Contd. of page 7)

• Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

· 12.5 Results of PBT and vPvB assessment Not applicable.

• *PBT:* Not applicable.


· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation



*Must not be disposed together with household garbage. Do not allow product to reach sewage system.* 

Contact manufacturer for recycling information.

Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

· European waste catalogue

There are no uniform EC regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste

|           | WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF<br>COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS<br>AND PRINTING INKS |  |
|-----------|---|--|
| 08 01 00  | wastes from MFSU and removal of paint and varnish   |  |
| 08 01 11* | 11* waste paint and varnish containing organic solvents or other hazardous substances   |  |
| HP14      | Ecotoxic  |  |

### · Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

# **SECTION 14: Transport information**

· 14.1 UN-Number · ADR, IMDG, IATA

UN3082

(Contd. on page 9)

GB

Page 9/11

Heimerle + Meule

Safety data sheet according to 1907/2006/EC, Article 31

| Printing date: 11.11.2020 Vers  | ion number 11  | Revision:              | 11.11.2       |
|---|--|------------------------|---------------|
| Trade name: Covering lacquer blue<br>Abdecklack Blau                        |  |                        |               |
|   |  | (Cont                  | d. of page 8) |
| · 14.2 UN proper shipping name  |  |                        |               |
| ·ADR  | UN3082 ENVIRONM  |                        | RDOUS         |
| ·IMDG   | SUBSTANCE, LIQUID, N.C<br>ENVIRONMENTALLY I                |                        | TANCE         |
|   | LIQUID, N.O.S., MARINE                                     | POLLUTANT              |               |
| ·IATA   | ENVIRONMENTALLY I<br>LIQUID, N.O.S.                        | HAZARDOUS SUBS         | TANCE,        |
| · 14.3 Transport hazard class(es)   | ~ ·  |                        |               |
| · ADR, IMDG, IATA   |  |                        |               |
|   |  |                        |               |
| · Class<br>· Label  | 9 Miscellaneous dangerous<br>9                             | substances and article | S.            |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                                   | III  |                        |               |
| · 14.5 Environmental hazards:   |  |                        |               |
| · Marine pollutant:   | Yes  |                        |               |
| · Special marking (ADR):  | Symbol (fish and tree)<br>Symbol (fish and tree)           |                        |               |
| Special marking (IATA):   | Symbol (fish and tree)                                     |                        |               |
| · 14.6 Special precautions for user   | Warning: Miscellaneous                                     | s dangerous substar    | nces and      |
| · Hazard identification number (Kemler code):                               | articles.<br>90  |                        |               |
| · EMS Number:   | 50<br>F-A,S-F  |                        |               |
| · Stowage Category  | A  |                        |               |
| • 14.7 Transport in bulk according to Annex II o<br>Marpol and the IBC Code | <b>f</b><br>Not applicable.                                |                        |               |
| Transport/Additional information:   |  |                        |               |
| ·ADR  |  |                        |               |
| Limited quantities (LQ)   | 5L<br>Cadar El   |                        |               |
| • Excepted quantities (EQ)  | Code: E1<br>Maximum net quantity per 1                     | inner nackaoino· 30 ml |               |
|   | Maximum net quantity per of<br>Maximum net quantity per of |                        |               |
| Transport category  | 3  |                        |               |
| • Tunnel restriction code   | -  |                        |               |
| · IMDG  | 51   |                        |               |
| · Limited quantities (LQ)<br>· Excepted quantities (EQ)                     | 5L<br>Code: El   |                        |               |
| Excepted quantities (EQ)  | Maximum net quantity per i                                 | inner packaging: 30 ml | !             |
|   | Maximum net quantity per o                                 | outer packaging: 1000  | ml            |
| ·IATA   |  |                        |               |
|   |  | (Contd.                | on page 10)   |

Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Version number 11



Revision:

11.11.2020

Trade name: Covering lacquer blue Abdecklack Blau

Printing date: 11.11.2020

(Contd. of page 9)

| · Remarks:               | 24h emergency contact -<br>(Dangerous goods emergency number)          |
|--------------------------|--|
|                          | +49 172 739 6970   |
| · UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S., 9, III |

# **SECTION 15: Regulatory information**

## · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

## · TSCA (Toxic Substances Control Act)

All ingredients are listed.

### · GADSL - Global Automotive Declarable Substance List

None of the ingredients is listed.

### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

• Technical instructions (air):

| Class | Share in % |
|-------|------------|
| NK    | 25-50      |

· Waterhazard class: .

• Other regulations, limitations and prohibitive regulations -

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.


· Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website

GB

Safety data sheet according to 1907/2006/EC, Article 31



Version number 11



*Revision:*\_\_\_\_\_11.11.2020

| ade name: Covering<br>Abdeckla                    |  |
|---|--|
| www.heimerle-mei                                  | (Contd. of page 10)  |
|   |  |
| • <b>Relevant phrases</b><br>H304 May be fatal    | if swallowed and enters airways.   |
| · Department issuin                               | g SDS:   |
| Abteilung BASU -                                  | Bau/Arbeitssicherheit/Umwelt   |
|   | - Construction / Occupational Safety / Environment   |
| sds@heimerle-meu                                  | le.com   |
| · Contact:  |  |
| Herr Thomas Knut                                  | h  |
| Knuth@heimerle-n                                  | 1eule.com  |
| sds@heimerle-meu                                  | le.com   |
| • Abbreviations and                               |  |
|   | cilities for handling water-polluting substances (German regulation).  |
|   | for hazardous substances (German regulation)   |
| Carriage of Dangerous                             | a sur le transport des marchandises dangereuses par Route (European Agreement concerning the International<br>Goods by Road) |
|   | laritime Code for Dangerous Goods  |
| IATA: International Air                           | Transport Association  |
|   | nised System of Classification and Labelling of Chemicals  |
|   | entory of Existing Commercial Chemical Substances  |
|   | t of Notified Chemical Substances<br>cts Service (division of the American Chemical Society)                                 |
| LC50: Lethal concentra                            |  |
| LD50: Lethal dose, 50                             | percent  |
| PBT: Persistent, Bioac                            |  |
|   | nd very Bioaccumulative  |
| STOT SE 3: Specific ta<br>Asp. Tox. 1: Aspiration | rget organ toxicity (single exposure) – Category 3<br>hazard – Category 1  |
|   | nazara – Category 1<br>zardous to the aquatic environment - long-term aquatic hazard – Category 2                            |
|   | to the previous version altered.   |