

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Hochleistungs-Glanzkupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat Schnellverkupferung**
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath

Article number: 3060400202, 3010400502, 3170400702

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Galvanic bath

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Wieland Edelmetalle GmbH
Schwenninger Str. 13
75179 Pforzheim
Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100

Further information obtainable from:

Wieland Edelmetalle GmbH
www.wieland-edelmetalle.de
msds@wieland-edelmetalle.de

1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS09

Signal word Danger

Hazard-determining components of labelling:

sulphuric acid

Hazard statements

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves / eye protection.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

**Trade name: Hochleistungs-Glanzkupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat Schnellverkupferung
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath**

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7758-98-7 EINECS: 231-847-6	copper sulphate ☠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 15%
CAS: 7664-93-9 EINECS: 231-639-5	sulphuric acid ☠ Skin Corr. 1A, H314	< 5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Hazards** Danger of gastric perforation.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
Sulphur dioxide (SO₂)

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

**Trade name: Hochleistungs-Glantzupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat Schnellverkupferung
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class:** 8B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

10124-43-3 cobalt sulphate

WEL	Long-term value: 0.1 mg/m ³
	Carc, Sen

- **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

**Trade name: Hochleistungs-Glanzkupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat Schnellverkupferung
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath**

(Contd. of page 3)

· **Protection of hands:**



Protective gloves

· **Material of gloves**

- Butyl rubber, BR
- Fluorocarbon rubber (Viton)
- Nitrile rubber, NBR
- Chloroprene rubber, CR

· **Penetration time of glove material**

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
Value for the permeation: Level ≤ 6

· **Not suitable are gloves made of the following materials:**

- Leather gloves
- Strong material gloves

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Blue
Odour:	Characteristic

· **pH-value at 20 °C:** < 1

· **Change in condition**

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	105 °C

· **Flash point:** Not applicable.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Density at 20 °C:** 1,104 g/cm³

· **Solubility in / Miscibility with water:**

Fully miscible.

· **9.2 Other information**

No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

**Trade name: Hochleistungs-Glantzupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat Schnellverkupferung
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath**

(Contd. of page 4)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong alkali.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Sulphur dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
ATE (Acute Toxicity Estimates)		
Oral	LD50	7,559 mg/kg (rat)

7758-98-7 copper sulphate		
Oral	LD50	960 mg/kg (rat)

Oral	LD50	7,559 mg/kg (rat)
------	------	-------------------

7758-98-7 copper sulphate		
Oral	LD50	960 mg/kg (rat)

Oral	LD50	960 mg/kg (rat)
------	------	-----------------

10124-43-3 cobalt sulphate		
Oral	LD50	582 mg/kg (rat)

Oral	LD50	582 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Toxic for aquatic organisms
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

**Trade name: Hochleistungs-Glantz Kupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat Schnellverkupferung
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath**

(Contd. of page 5)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must be specially treated adhering to official regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN2796
- **14.2 UN proper shipping name**
- **ADR** 2796 SULPHURIC ACID, solution, ENVIRONMENTALLY HAZARDOUS
- **IMDG** SULPHURIC ACID, solution, MARINE POLLUTANT
- **IATA** SULPHURIC ACID, solution
- **14.3 Transport hazard class(es)**
- **ADR**
-
- **Class** 8 (C1) Corrosive substances.
- **Label** 8
- **IMDG**
-
- **Class** 8 Corrosive substances.
- **Label** 8
- **IATA**
-
- **Class** 8 Corrosive substances.
- **Label** 8

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

**Trade name: Hochleistungs-Glantzupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat Schnellverkupferung
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath**

(Contd. of page 6)

· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	Product contains environmentally hazardous substances: copper sulphate Yes Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Acids
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	IL 2 E
· IMDG · Remarks:	(copper sulphate)
· UN "Model Regulation":	UN 2796, SULPHURIC ACID, solution, ENVIRONMENTALLY HAZARDOUS, 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- Technical instructions (air):

Class	Share in %
III	12.7
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.05.2018

Version number 2

Revision: 15.05.2018

**Trade name: Hochleistungs-Glantzupferbad Galvanoplastik, Rhodnette Kupferbad, Arcuplat
Schnellverkupferung
Galvanoplast bright copper bath, Rhodnette copper bath, Arcuplat copper bath**

(Contd. of page 7)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

GB